



| SIZE | DESCRIPTION | HANDLE TYPE | UPC | SURE SEAL NO | PROP 65 |
|--------|--|------------------------|-------------|-----------------|---------|
| 10 in. | 10 HPBFV 150LUG WCB CF8M PTFE 17-4 BARE | Bare Stem / Bare Shaft | 39923113269 | S10-G1L-CSSP-B | |
| 10 in. | 10 HPBFV 150LUG WCB CF8M PTFE 17-4 GOP | Gear Operator | 39923113276 | S10-G1L-CSSP-G | |
| 10 in. | 10 HPBFV 150LUG WCB CF8M RPTFE 17-4 BARE | Bare Stem / Bare Shaft | 39923182159 | S10-G1L-CSSR-B | |
| 10 in. | 10 HPBFV 150LUG WCB CF8M RPTFE 17-4 GEAR | Gear Operator | 39923182296 | S10-G1L-CSSR-G | |
| 10 in. | 10 HPBFV 150LUG WCB CF8M RPTFE 17-4 GL | Locking Gear Operator | 39923056900 | S10-G1L-CSSR-GL | |
| 10 in. | 10 HPBFV 150LUG WCB CF8M UHMW 17-4 BARE | Bare Stem / Bare Shaft | 39923111272 | S10-G1L-CSSU-B | |
| 10 in. | 10 HPBFV 150LUG WCB CF8M UHMWPE 17-4 GOP | Gear Operator | 39923111289 | S10-G1L-CSSU-G | |
| 12 in. | 12 HPBFV 150LUG WCB CF8M PTFE 17-4 BARE | Bare Stem / Bare Shaft | 39923113405 | S12-G1L-CSSP-B | |

| SIZE | DESCRIPTION | HANDLE TYPE | UPC | SURE SEAL NO | PROP 65 |
|--------|--|------------------------|-------------|-----------------|---|
| 12 in. | 12 HPBFV 150LUG WCB CF8M PTFE 17-4 GOP | Gear Operator | 39923113412 | S12-G1L-CSSP-G |  |
| 12 in. | 12 HPBFV 150LUG WCB CF8M PTFE 17-4 GL | Locking Gear Operator | 39923113429 | S12-G1L-CSSP-GL |  |
| 12 in. | 12 HPBFV 150LUG WCB CF8M RPTFE 17-4 BARE | Bare Stem / Bare Shaft | 39923182371 | S12-G1L-CSSR-B |  |
| 12 in. | 12 HPBFV 150LUG WCB CF8M RPTFE 17-4 GEAR | Gear Operator | 39923182418 | S12-G1L-CSSR-G |  |
| 12 in. | 12 HPBFV 150LUG WCB CF8M RPTFE 17-4 GL | Locking Gear Operator | 39923160096 | S12-G1L-CSSR-GL |  |
| 12 in. | 12 HPBFV 150LUG WCB CF8M UHMW 17-4 BARE | Bare Stem / Bare Shaft | 39923111494 | S12-G1L-CSSU-B |  |
| 12 in. | 12 HPBFV 150LUG WCB CF8M UHMWPE 17-4 GOP | Gear Operator | 39923111500 | S12-G1L-CSSU-G |  |
| 12 in. | 12 HPBFV 150LUG WCB CF8M UHMWPE 17-4 GL | Locking Gear Operator | 39923111517 | S12-G1L-CSSU-GL |  |
| 14 in. | 14 HPBFV 150LUG WCB CF8M PTFE 17-4 BARE | Bare Stem / Bare Shaft | 39923113481 | S14-G1L-CSSP-B |  |
| 14 in. | 14 HPBFV 150LUG WCB CF8M PTFE 17-4 GOP | Gear Operator | 39923113511 | S14-G1L-CSSP-G |  |
| 14 in. | 14 HPBFV 150LUG WCB CF8M RPTFE 17-4 BARE | Bare Stem / Bare Shaft | 39923182432 | S14-G1L-CSSR-B |  |
| 14 in. | 14 HPBFV 150LUG WCB CF8M RPTFE 17-4 GEAR | Gear Operator | 39923182531 | S14-G1L-CSSR-G |  |
| 14 in. | 14 HPBFV 150LUG WCB CF8M UHMW 17-4 BARE | Bare Stem / Bare Shaft | 39923111579 | S14-G1L-CSSU-B |  |
| 14 in. | 14 HPBFV 150LUG WCB CF8M UHMWPE 17-4 GOP | Gear Operator | 39923111609 | S14-G1L-CSSU-G |  |
| 16 in. | 16 HPBFV 150LUG WCB CF8M PTFE 17-4 BARE | Bare Stem / Bare Shaft | 39923113542 | S16-G1L-CSSP-B |  |
| 16 in. | 16 HPBFV 150LUG WCB CF8M PTFE 17-4 GOP | Gear Operator | 39923113535 | S16-G1L-CSSP-G |  |
| 16 in. | 16 HPBFV 150LUG WCB CF8M RPTFE 17-4 BARE | Bare Stem / Bare Shaft | 39923182562 | S16-G1L-CSSR-B |  |
| 16 in. | 16 HPBFV 150LUG WCB CF8M RPTFE 17-4 GEAR | Gear Operator | 39923182579 | S16-G1L-CSSR-G |  |

| SIZE | DESCRIPTION | HANDLE TYPE | UPC | SURE SEAL NO | PROP 65 |
|--------|--|------------------------|-------------|-----------------|---|
| 16 in. | 16 HPBFV 150LUG WCB CF8M UHMW 17-4 BARE | Bare Stem / Bare Shaft | 39923111647 | S16-G1L-CSSU-B |  |
| 16 in. | 16 HPBFV 150LUG WCB CF8M UHMWPE 17-4 GOP | Gear Operator | 39923111630 | S16-G1L-CSSU-G |  |
| 18 in. | 18 HPBFV 150LUG WCB CF8M PTFE 17-4 BARE | Bare Stem / Bare Shaft | 39923113627 | S18-G1L-CSSP-B |  |
| 18 in. | 18 HPBFV 150LUG WCB CF8M PTFE 17-4 GOP | Gear Operator | 39923113634 | S18-G1L-CSSP-G |  |
| 18 in. | 18 HPBFV 150LUG WCB CF8M RPTFE 17-4 BARE | Bare Stem / Bare Shaft | 39923182586 | S18-G1L-CSSR-B |  |
| 18 in. | 18 HPBFV 150LUG WCB CF8M RPTFE 17-4 GEAR | Gear Operator | 39923182647 | S18-G1L-CSSR-G |  |
| 18 in. | 18 HPBFV 150LUG WCB CF8M UHMW 17-4 BARE | Bare Stem / Bare Shaft | 39923111807 | S18-G1L-CSSU-B |  |
| 18 in. | 18 HPBFV 150LUG WCB CF8M UHMWPE 17-4 GOP | Gear Operator | 39923111814 | S18-G1L-CSSU-G |  |
| 2 in. | 2 HPBFV 150LUG WCB CF8M PTFE 17-4 LEV | Handle Operator | 39923112163 | S2-G1L-CSSP-H |  |
| 2 in. | 2 HPBFV 150LUG WCB CF8M PTFE 17-4 LEV10 | Locking Lever Handle | 39923112170 | S2-G1L-CSSP-H10 |  |
| 2 in. | 2 HPBFV 150LUG WCB CF8M RPTFE 17-4 BARE | Bare Stem / Bare Shaft | 39923019943 | S2-G1L-CSSR-B |  |
| 2 in. | 2 HPBFV 150LUG WCB CF8M RPTFE 17-4 LEV | Handle Operator | 39923081698 | S2-G1L-CSSR-H |  |
| 2 in. | 2 HPBFV 150LUG WCB CF8M RPTFE 17-4 LEV10 | Locking Lever Handle | 39923019950 | S2-G1L-CSSR-H10 |  |
| 2 in. | 2 HPBFV 150LUG WCB CF8M UHMWPE 17-4 LEV | Handle Operator | 39923077042 | S2-G1L-CSSU-H |  |
| 2 in. | 2 HPBFV 150LUG WCB CF8M UHMW 17-4 LEV10 | Locking Lever Handle | 39923077059 | S2-G1L-CSSU-H10 |  |
| 20 in. | 20 HPBFV 150LUG WCB CF8M PTFE 17-4 BARE | Bare Stem / Bare Shaft | 39923113672 | S20-G1L-CSSP-B |  |
| 20 in. | 20 HPBFV 150LUG WCB CF8M PTFE 17-4 GOP | Gear Operator | 39923113689 | S20-G1L-CSSP-G |  |
| 20 in. | 20 HPBFV 150LUG WCB CF8M RPTFE 17-4 BARE | Bare Stem / Bare Shaft | 39923182692 | S20-G1L-CSSR-B |  |

| SIZE | DESCRIPTION | HANDLE TYPE | UPC | SURE SEAL NO | PROP 65 |
|-----------|---|------------------------|-------------|------------------|---|
| 20 in. | 20 HPBFV 150LUG WCB CF8M RPTFE 17-4 GEAR | Gear Operator | 39923188533 | S20-G1L-CSSR-G |  |
| 20 in. | 20 HPBFV 150LUG WCB CF8M UHMW 17-4 BARE | Bare Stem / Bare Shaft | 39923111852 | S20-G1L-CSSU-B |  |
| 20 in. | 20 HPBFV 150LUG WCB CF8M UHMWPE 17-4 GOP | Gear Operator | 39923111869 | S20-G1L-CSSU-G |  |
| 24 in. | 24 HPBFV 150LUG WCB CF8M PTFE 17-4 BARE | Bare Stem / Bare Shaft | 39923113733 | S24-G1L-CSSP-B |  |
| 24 in. | 24 HPBFV 150LUG WCB CF8M PTFE 17-4 GOP | Gear Operator | 39923113740 | S24-G1L-CSSP-G |  |
| 24 in. | 24 HPBFV 150LUG WCB CF8M PTFE 17-4 GL | Locking Gear Operator | 39923113771 | S24-G1L-CSSP-GL |  |
| 24 in. | 24 HPBFV 150LUG WCB CF8M RPTFE 17-4 BARE | Bare Stem / Bare Shaft | 39923188557 | S24-G1L-CSSR-B |  |
| 24 in. | 24 HPBFV 150LUG WCB CF8M RPTFE 17-4 GEAR | Gear Operator | 39923222657 | S24-G1L-CSSR-G |  |
| 24 in. | 24 HPBFV 150LUG WCB CF8M RPTFE 17-4 GL | Locking Gear Operator | 39923166418 | S24-G1L-CSSR-GL |  |
| 2-1/2 in. | 2.5 HPBFV 150LUG WCB CF8M PTFE 17-4 BARE | Bare Stem / Bare Shaft | 39923112316 | S25-G1L-CSSP-B |  |
| 2-1/2 in. | 2.5 HPBFV 150LUG WCB CF8M PTFE 17-4 GOP | Gear Operator | 39923112323 | S25-G1L-CSSP-G |  |
| 2-1/2 in. | 2.5 HPBFV 150LUG WCB CF8M PTFE 17-4 LEV | Handle Operator | 39923112330 | S25-G1L-CSSP-H |  |
| 2-1/2 in. | 2.5 HPBFV 150LUG WCB CF8M PTFE 17-4 LEV10 | Locking Lever Handle | 39923112439 | S25-G1L-CSSP-H10 |  |
| 2-1/2 in. | 2.5 HPBFV 150LUG WCB CF8M RPTFE 17-4BARE | Bare Stem / Bare Shaft | 39923019967 | S25-G1L-CSSR-B |  |
| 2-1/2 in. | 2.5 HPBFV 150LUG WCB CF8M RPTFE 17-4GEAR | Gear Operator | 39923019974 | S25-G1L-CSSR-G |  |
| 2-1/2 in. | 2.5 HPBFV150LUG WCB CF8M RPTFE 17-4 LEV | Handle Operator | 39923081704 | S25-G1L-CSSR-H |  |
| 2-1/2 in. | 2.5 HPBFV150LUG WCB CF8M RPTFE 17-4LEV10 | Locking Lever Handle | 39923181480 | S25-G1L-CSSR-H10 |  |
| 2-1/2 in. | 2.5 HPBFV 150LUG WCB CF8M UHMW 17-4 BARE | Bare Stem / Bare Shaft | 39923077363 | S25-G1L-CSSU-B |  |

| SIZE | DESCRIPTION | HANDLE TYPE | UPC | SURE SEAL NO | PROP 65 |
|-----------|--|------------------------|-------------|------------------|---|
| 2-1/2 in. | 2.5 HPBFV 150LUG WCB CF8M UHMW 17-4 GOP | Gear Operator | 39923077370 | S25-G1L-CSSU-G |  |
| 2-1/2 in. | 2.5 HPBFV 150LUG WCB CF8M UHMW 17-4 LEV | Handle Operator | 39923077387 | S25-G1L-CSSU-H |  |
| 2-1/2 in. | 2.5 HPBFV 150LUG WCB CF8M UHMW 17-4 H10 | Locking Lever Handle | 39923077394 | S25-G1L-CSSU-H10 |  |
| 3 in. | 3 HPBFV 150LUG WCB CF8M PTFE 17-4 BARE | Bare Stem / Bare Shaft | 39923112521 | S3-G1L-CSSP-B |  |
| 3 in. | 3 HPBFV 150LUG WCB CF8M PTFE 17-4 GOP | Gear Operator | 39923112538 | S3-G1L-CSSP-G |  |
| 3 in. | 3 HPBFV 150LUG WCB CF8M PTFE 17-4 LEV | Handle Operator | 39923112545 | S3-G1L-CSSP-H |  |
| 3 in. | 3 HPBFV 150LUG WCB CF8M PTFE 17-4 LEV10 | Locking Lever Handle | 39923112552 | S3-G1L-CSSP-H10 |  |
| 3 in. | 3 HPBFV 150LUG WCB CF8M RPTFE 17-4 BARE | Bare Stem / Bare Shaft | 39923181497 | S3-G1L-CSSR-B |  |
| 3 in. | 3 HPBFV 150LUG WCB CF8M RPTFE 17-4 GEAR | Gear Operator | 39923181534 | S3-G1L-CSSR-G |  |
| 3 in. | 3 HPBFV 150LUG WCB CF8M RPTFE 17-4 LEV | Handle Operator | 39923081711 | S3-G1L-CSSR-H |  |
| 3 in. | 3 HPBFV 150LUG WCB CF8M RPTFE 17-4 LEV10 | Locking Lever Handle | 39923181541 | S3-G1L-CSSR-H10 |  |
| 3 in. | 3 HPBFV 150LUG WCB CF8M UHMWPE 17-4 BARE | Bare Stem / Bare Shaft | 39923077547 | S3-G1L-CSSU-B |  |
| 3 in. | 3 HPBFV 150LUG WCB CF8M UHMWPE 17-4 GOP | Gear Operator | 39923077554 | S3-G1L-CSSU-G |  |
| 3 in. | 3 HPBFV 150LUG WCB CF8M UHMWPE 17-4 LEV | Handle Operator | 39923077561 | S3-G1L-CSSU-H |  |
| 3 in. | 3 HPBFV 150LUG WCB CF8M UHMW 17-4 LEV10 | Locking Lever Handle | 39923077578 | S3-G1L-CSSU-H10 |  |
| 30 in. | 30 HPBFV 150LUG WCB CF8M RPTFE 17-4 BARE | Bare Stem / Bare Shaft | 39923154484 | S30-G1L-CSSR-B |  |
| 30 in. | 30 HPBFV 150LUG WCB CF8M RPTFE 17-4 GEAR | Gear Operator | 39923154491 | S30-G1L-CSSR-G |  |
| 36 in. | 36 HPBFV 150LUG WCB CF8M RPTFE 17-4 BARE | Bare Stem / Bare Shaft | 39923076205 | S36-G1L-CSSR-B |  |

| SIZE | DESCRIPTION | HANDLE TYPE | UPC | SURE SEAL NO | PROP 65 |
|--------|--|------------------------|-------------|-----------------|---|
| 36 in. | 36 HPBFV 150LUG WCB CF8M RPTFE 17-4 GOP | Gear Operator | 39923076229 | S36-G1L-CSSR-G |  |
| 4 in. | 4 HPBFV 150LUG WCB CF8M PTFE 17-4 BARE | Bare Stem / Bare Shaft | 39923112729 | S4-G1L-CSSP-B |  |
| 4 in. | 4 HPBFV 150LUG WCB CF8M PTFE 17-4 GOP | Gear Operator | 39923112736 | S4-G1L-CSSP-G |  |
| 4 in. | 4 HPBFV 150LUG WCB CF8M PTFE 17-4 LEV | Handle Operator | 39923112743 | S4-G1L-CSSP-H |  |
| 4 in. | 4 HPBFV 150LUG WCB CF8M PTFE 17-4 LEV10 | Locking Lever Handle | 39923112750 | S4-G1L-CSSP-H10 |  |
| 4 in. | 4 HPBFV 150LUG WCB CF8M RPTFE 17-4 BARE | Bare Stem / Bare Shaft | 39923181558 | S4-G1L-CSSR-B |  |
| 4 in. | 4 HPBFV 150LUG WCB CF8M RPTFE 17-4 GEAR | Gear Operator | 39923181565 | S4-G1L-CSSR-G |  |
| 4 in. | 4 HPBFV 150LUG WCB CF8M RPTFE 17-4 LEV | Handle Operator | 39923081728 | S4-G1L-CSSR-H |  |
| 4 in. | 4 HPBFV 150LUG WCB CF8M RPTFE 17-4 LEV10 | Locking Lever Handle | 39923181633 | S4-G1L-CSSR-H10 |  |
| 4 in. | 4 HPBFV 150LUG WCB CF8M UHMWPE 17-4 BARE | Bare Stem / Bare Shaft | 39923077776 | S4-G1L-CSSU-B |  |
| 4 in. | 4 HPBFV 150LUG WCB CF8M UHMWPE 17-4 GOP | Gear Operator | 39923077783 | S4-G1L-CSSU-G |  |
| 4 in. | 4 HPBFV 150LUG WCB CF8M UHMWPE 17-4 LEV | Handle Operator | 39923077790 | S4-G1L-CSSU-H |  |
| 4 in. | 4 HPBFV 150LUG WCB CF8M UHMW 17-4 LEV10 | Locking Lever Handle | 39923077820 | S4-G1L-CSSU-H10 |  |
| 5 in. | 5 HPBFV 150LUG WCB CF8M PTFE 17-4 BARE | Bare Stem / Bare Shaft | 39923112880 | S5-G1L-CSSP-B |  |
| 5 in. | 5 HPBFV 150LUG WCB CF8M PTFE 17-4 LEV | Handle Operator | 39923112866 | S5-G1L-CSSP-H |  |
| 5 in. | 5 HPBFV 150LUG 316 CF8M PTFE 17-4 LEV 10 | Locking Lever Handle | 39923112873 | S5-G1L-CSSP-H10 |  |
| 5 in. | 5 HPBFV 150LUG WCB CF8M RPTFE 17-4 BARE | Bare Stem / Bare Shaft | 39923181671 | S5-G1L-CSSR-B |  |
| 5 in. | 5 HPBFV 150LUG WCB CF8M RPTFE 17-4 GEAR | Gear Operator | 39923181695 | S5-G1L-CSSR-G |  |

| SIZE | DESCRIPTION | HANDLE TYPE | UPC | SURE SEAL NO | PROP 65 |
|-------|--|------------------------|-------------|-----------------|---|
| 5 in. | 5 HPBFV 150LUG WCB CF8M RPTFE 17-4 LEV | Handle Operator | 39923081759 | S5-G1L-CSSR-H |  |
| 5 in. | 5 HPBFV 150LUG WCB CF8M RPTFE 17-4 LEV10 | Locking Lever Handle | 39923181701 | S5-G1L-CSSR-H10 |  |
| 5 in. | 5 HPBFV 150LUG WCB CF8M UHMWPE 17-4 BARE | Bare Stem / Bare Shaft | 39923077981 | S5-G1L-CSSU-B |  |
| 5 in. | 5 HPBFV 150LUG WCB CF8M UHMWPE 17-4 LEV | Handle Operator | 39923077967 | S5-G1L-CSSU-H |  |
| 5 in. | 5 HPBFV 150LUG WCB CF8M UHMW 17-4 LEV 10 | Locking Lever Handle | 39923077974 | S5-G1L-CSSU-H10 |  |
| 6 in. | 6 HPBFV 150LUG WCB CF8M PTFE 17-4 BARE | Bare Stem / Bare Shaft | 39923112989 | S6-G1L-CSSP-B |  |
| 6 in. | 6 HPBFV 150LUG WCB CF8M PTFE 17-4 GOP | Gear Operator | 39923112996 | S6-G1L-CSSP-G |  |
| 6 in. | 6 HPBFV 150LUG WCB CF8M PTFE 17-4 LEV | Handle Operator | 39923113009 | S6-G1L-CSSP-H |  |
| 6 in. | 6 HPBFV 150LUG WCB CF8M PTFE 17-4 LEV10 | Locking Lever Handle | 39923113023 | S6-G1L-CSSP-H10 |  |
| 6 in. | 6 HPBFV 150LUG WCB CF8M RPTFE 17-4 BARE | Bare Stem / Bare Shaft | 39923181787 | S6-G1L-CSSR-B |  |
| 6 in. | 6 HPBFV 150LUG WCB CF8M RPTFE 17-4 GEAR | Gear Operator | 39923181848 | S6-G1L-CSSR-G |  |
| 6 in. | 6 HPBFV 150LUG WCB CF8M RPTFE 17-4 LEV | Handle Operator | 39923081766 | S6-G1L-CSSR-H |  |
| 6 in. | 6 HPBFV 150LUG WCB CF8M RPTFE 17-4 LEV10 | Locking Lever Handle | 39923181879 | S6-G1L-CSSR-H10 |  |
| 6 in. | 6 HPBFV 150LUG WCB CF8M UHMWPE 17-4 BARE | Bare Stem / Bare Shaft | 39923078155 | S6-G1L-CSSU-B |  |
| 6 in. | 6 HPBFV 150LUG WCB CF8M UHMWPE 17-4 GOP | Gear Operator | 39923078162 | S6-G1L-CSSU-G |  |
| 6 in. | 6 HPBFV 150LUG WCB CF8M UHMWPE 17-4 LEV | Handle Operator | 39923078179 | S6-G1L-CSSU-H |  |
| 6 in. | 6 HPBFV 150LUG WCB CF8M UHMW 17-4 LEV10 | Locking Lever Handle | 39923078193 | S6-G1L-CSSU-H10 |  |
| 8 in. | 8 HPBFV 150LUG WCB CF8M PTFE 17-4 BARE | Bare Stem / Bare Shaft | 39923113160 | S8-G1L-CSSP-B |  |

| SIZE | DESCRIPTION | HANDLE TYPE | UPC | SURE SEAL NO | PROP 65 |
|-------|--|------------------------|-------------|---------------|--|
| 8 in. | 8 HPBFV 150LUG WCB CF8M PTFE 17-4 GOP | Gear Operator | 39923113177 | S8-G1L-CSSP-G |  |
| 8 in. | 8 HPBFV 150LUG WCB CF8M PTFE 17-4 LEV | Handle Operator | 39923113191 | S8-G1L-CSSP-H |  |
| 8 in. | 8 HPBFV 150LUG WCB CF8M RPTFE 17-4 BARE | Bare Stem / Bare Shaft | 39923181886 | S8-G1L-CSSR-B |  |
| 8 in. | 8 HPBFV 150LUG WCB CF8M RPTFE 17-4 GEAR | Gear Operator | 39923182012 | S8-G1L-CSSR-G |  |
| 8 in. | 8 HPBFV 150LUG WCB CF8M RPTFE 17-4 LEV | Handle Operator | 39923081773 | S8-G1L-CSSR-H |  |
| 8 in. | 8 HPBFV 150LUG WCB CF8M UHMWPE 17-4 BARE | Bare Stem / Bare Shaft | 39923078384 | S8-G1L-CSSU-B |  |
| 8 in. | 8 HPBFV 150LUG WCB CF8M UHMWPE 17-4 GOP | Gear Operator | 39923078391 | S8-G1L-CSSU-G |  |
| 8 in. | 8 HPBFV 150LUG WCB CF8M UHMWPE 17-4 LEV | Handle Operator | 39923078414 | S8-G1L-CSSU-H |  |



Warning: This product can expose you to chemicals including lead, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov